


# Plaat Aluminium *Tôle Aluminium*

Al99,0, plaat, zacht  
*Al99,0, tôle, recuit*

1200A 0 3.0205

EN 573-3 EN 485-2 EN 485-4




<b>A x B x e (mm)</b>	<b>Code</b>	<b>Kg / St-Pc</b>
2000 x1000 x1	A450211	5,400
2000 x1000 x1,2	A450406	6,480
2000 x1000 x1,5	A450511	8,100
2000 x1000 x2	A450721	10,800
2500 x1250 x2	A450781	16,875
2000 x1000 x3	A451081	16,200
2500 x1250 x3	A451141	25,313

# Plaat Aluminium Tôle Aluminium

Al99,5, plaat, 1/2 hard  
Al99,5, tôle, demi-dur

1050 H14/H24 3.0255

EN 573-3 EN 485-2 EN 485-3 / 485-4



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,5	A450061	2,700
2000 x1000 x0,6	A450091	3,240
2000 x1000 x0,8	A450121	4,320
2500 x1250 x0,8	A450151	6,750
3000 x1500 x0,8	A450166	9,720
2000 x1000 x1	A450181	5,400
2500 x1250 x1	A450271	8,438
3000 x1000 x1	A450301	8,100
3000 x1250 x1	A450331	10,125
3000 x1500 x1	A450361	12,150
4000 x1500 x1	A450376	16,200
2000 x1000 x1,2	A450391	6,480
2500 x1250 x1,2	A450421	10,125
3000 x1500 x1,2	A450451	14,580
2000 x1000 x1,5	A450481	8,100
2500 x1250 x1,5	A450541	12,656
3000 x1000 x1,5	A450571	12,150
3000 x1250 x1,5	A450601	15,188
3000 x1500 x1,5	A450631	18,225
4000 x1250 x1,5	A450653	20,250
4000 x1500 x1,5	A450661	24,300
2000 x1000 x2	A450691	10,800
2000 x1500 x2	A450736	16,200
2500 x1000 x2	A450746	13,500
2500 x1250 x2	A450751	16,875
2500 x1500 x2	A450796	20,250
3000 x1000 x2	A450811	16,200
3000 x1250 x2	A450841	20,250
3000 x1500 x2	A450871	24,300
3000 x2000 x2	A450936	32,400
3500 x1500 x2	A450886	28,350
4000 x1000 x2	A450901	21,600
4000 x1250 x2	A450916	27,000
4000 x1500 x2	A450931	32,400


A x B x e (mm)	Code	Kg / St-Pc
4000 x2000 x2	A450942	43,200
2000 x1000 x2,5	A450961	13,500
2500 x1250 x2,5	A450991	21,094
3000 x1500 x2,5	A451021	30,375
2000 x1000 x3	A451051	16,200
2200 x1000 x3	A451089	17,820
2300 x1500 x3	A451099	27,945
2500 x1250 x3	A451111	25,313
3000 x1000 x3	A451161	24,300
3000 x1250 x3	A451171	30,375
3000 x1500 x3	A451201	36,450
3000 x2000 x3	A451266	48,600
4000 x1250 x3	A451231	40,500
4000 x1500 x3	A451261	48,600
4000 x2000 x3	A451272	64,800
2000 x1000 x4	A451291	21,600
2500 x1250 x4	A451321	33,750
3000 x1500 x4	A451351	48,600
4000 x1500 x4	A451366	64,800
2000 x1000 x5	A451381	27,000
2500 x1250 x5	A451411	42,188
3000 x1500 x5	A451441	60,750
2000 x1000 x6	A451501	32,400
2500 x1250 x6	A451531	50,625
3000 x1500 x6	A451561	72,900

# Plaat Aluminium Tôle Aluminium

Al99,5, plaat, 1/2 hard, 1 zijde folie  
*Al99,5, tôle, demi-dur, filmé 1 face*

1050 H14/H24 3.0255

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	A750411	5,600
2500 x1250 x1	A750441	8,750
3000 x1500 x1	A750471	12,600
2000 x1000 x1,5	A750674	8,400
2500 x1250 x1,5	A750703	13,125
3000 x1250 x1,5	A750716	15,750
3000 x1500 x1,5	A750732	18,900
4000 x1250 x1,5	A750739	21,000
4000 x1500 x1,5	A750746	25,200
2000 x1000 x2	A750761	11,200
2500 x1250 x2	A750790	17,500
3000 x1250 x2	A750806	21,000
3000 x1500 x2	A750819	25,200
3000 x2000 x2	A750823	33,600
4000 x1250 x2	A750826	28,000
4000 x1500 x2	A750834	33,600
4000 x2000 x2	A750841	44,800
2500 x1250 x2,5	A750840	21,875
2000 x1000 x3	A750848	16,800
2500 x1250 x3	A750877	26,250
3000 x1250 x3	A750891	31,500
3000 x1500 x3	A750906	37,800
3000 x2000 x3	A750926	50,400
4000 x1250 x3	A750941	42,000
4000 x1500 x3	A750971	50,400
4000 x2000 x3	A750986	67,200
2000 x1000 x4	A751101	22,400

# Plaat Aluminium *Tôle Aluminium*

Al99,5, plaat, warmgewalst  
*Al99,5, tôle, laminé à chaud*

1050 H111 3.0255

EN 573-3 EN 485-2 EN 485-3




<b>A x B x e (mm)</b>	<b>Code</b>	<b>Kg / St-Pc</b>
2000 x1000 x8	A451621	43,200
2500 x1250 x8	A451651	67,500
3000 x1500 x8	A451666	97,200
2000 x1000 x10	A451711	54,000
2500 x1250 x10	A451726	84,375
3000 x1500 x10	A451741	121,500
2000 x1000 x12	A451786	64,800
2000 x1000 x15	A451801	81,000
3000 x1500 x20	A451861	243,000

# Plaat Aluminium Tôle Aluminium

AlMg1, plaat, 1/2 hard, gevelkwaliteit  
*AlMg1, tôle, demi-dur, qualité façade*

5005 H14/H24 3.3315

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1,5	A600534	8,100
2500 x1250 x1,5	A600541	12,656
3000 x1250 x1,5	A600571	15,188
3000 x1500 x1,5	A600631	18,225
4000 x1500 x1,5	A600661	24,300
2000 x1000 x2	A600721	10,800
2500 x1250 x2	A600751	16,875
3000 x1250 x2	A600766	20,250
3000 x1500 x2	A600871	24,300
4000 x1250 x2	A600886	27,000
4000 x1500 x2	A600901	32,400
4000 x2000 x2	A600921	43,200
2000 x1000 x3	A601041	16,200
2500 x1250 x3	A601111	25,313
3000 x1250 x3	A601131	30,375
3000 x1500 x3	A601201	36,450
4000 x1250 x3	A601216	40,500
4000 x1500 x3	A601231	48,600
4000 x2000 x3	A601251	64,800

# Plaat Aluminium *Tôle Aluminium*

AlMg1, plaat, gevelkwaliteit, 1 zijde folie  
*AlMg1, tôle, qualité façade, filmé 1 face*

5005 H14/H24 3.3315

EN 573-3 EN 485-2 EN 485-4




<b>A x B x e (mm)</b>	<b>Code</b>	<b>Kg / St-Pc</b>
2000 x1000 x1	A780031	5,600
2000 x1000 x1,5	A780501	8,400
2500 x1250 x1,5	A780531	13,125
3000 x1250 x1,5	A780546	15,750
3000 x1500 x1,5	A780561	18,900
4000 x1250 x1,5	A780571	21,000
4000 x1500 x1,5	A780601	25,200
2000 x1000 x2	A780731	11,200
2500 x1250 x2	A780761	17,500
3000 x1250 x2	A780781	21,000
3000 x1500 x2	A780791	25,200
4000 x1250 x2	A780801	28,000
4000 x1500 x2	A780821	33,600
4000 x2000 x2	A780831	44,800
2000 x1000 x3	A781061	16,800
2500 x1250 x3	A781091	26,250
3000 x1250 x3	A781101	31,500
3000 x1500 x3	A781121	37,800
4000 x1500 x3	A781151	50,400
4000 x2000 x3	A781181	67,200
2000 x1000 x4	A781211	22,400
2500 x1250 x4	A781241	35,000
3000 x1500 x4	A781271	50,400

# Plaat Aluminium Tôle Aluminium

AlMg1, plaat, 1 zijde folie, voor decoratieve anodisatie  
*AlMg1, tôle, filmé 1 face, pour anodisation décorative*

5005 H14/H24 3.3315

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	A620031	5,600
3000 x1500 x1	A620091	12,600
2000 x1000 x1,5	A620121	8,400
2500 x1250 x1,5	A620151	13,125
3000 x1500 x1,5	A620181	18,900
2000 x1000 x2	A620241	11,200
2500 x1250 x2	A620271	17,500
3000 x1500 x2	A620301	25,200
4000 x1500 x2	A620331	33,600
2000 x1000 x2,5	A620361	14,000
2000 x1000 x3	A620451	16,800
2500 x1250 x3	A620481	26,250
3000 x1500 x3	A620511	37,800
4000 x1500 x3	A620541	50,400

# Plaat Aluminium Tôle Aluminium

AlMg1, plaat, 1 zijde folie, hoogw. decoratieve anodisatie  
*AlMg1, tôle, filmé 1 face, anodis. décorat. haute qual.*

J57S 3.3315

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	A660031	5,600
2500 x1250 x1	A660061	8,750
3000 x1500 x1	A660091	12,600
2000 x1000 x1,5	A660121	8,400
2500 x1250 x1,5	A660151	13,125
3000 x1500 x1,5	A660181	18,900
4000 x1500 x1,5	A660211	25,200
2000 x1000 x2	A660241	11,200
2500 x1250 x2	A660271	17,500
3000 x1500 x2	A660301	25,200
4000 x1500 x2	A660331	33,600
4000 x2000 x2	A660361	44,800
2000 x1000 x2,5	A660391	14,000
2500 x1250 x2,5	A660421	21,875
3000 x1500 x2,5	A660451	31,500
2000 x1000 x3	A660481	16,800
2500 x1250 x3	A660511	26,250
3000 x1500 x3	A660541	37,800
4000 x1500 x3	A660571	50,400
4000 x2000 x3	A660601	67,200
2000 x1000 x4	A660631	22,400
2500 x1250 x4	A660661	35,000
3000 x1500 x4	A660691	50,400

# Plaat Aluminium Tôle Aluminium

AlMg1, plaat, geanod. natuurkleur 10 micron, 1 zijde folie  
*AlMg1, tôle, anodisé naturel 10 microns, filmé 1 face*

5005 H14/H24 3.3315

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	A570031	5,600
2500 x1250 x1	A570061	8,750
3000 x1500 x1	A570091	12,600
2000 x1000 x1,5	A570121	8,400
2500 x1250 x1,5	A570151	13,125
3000 x1250 x1,5	A570166	15,750
3000 x1500 x1,5	A570181	18,900
4000 x1500 x1,5	A570196	25,200
2000 x1000 x2	A570211	11,200
2500 x1250 x2	A570241	17,500
3000 x1250 x2	A570256	21,000
3000 x1500 x2	A570271	25,200
4000 x1500 x2	A570286	33,600
2000 x1000 x3	A570301	16,800
2500 x1250 x3	A570331	26,250
3000 x1250 x3	A570346	31,500
3000 x1500 x3	A570361	37,800
4000 x1500 x3	A570391	50,400

# Plaat Aluminium Tôle Aluminium

AlMg1, plaat, geanod. natuurkleur 15 micron, 1 zijde folie  
*AlMg1, tôle, anodisé naturel 15 microns, filmé 1 face*

5005 H14/H24 3.3315

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	A580041	5,600
2000 x1000 x1,5	A580131	8,400
2500 x1250 x1,5	A580191	13,125
3000 x1500 x1,5	A580251	18,900
2000 x1000 x2	A580311	11,200
2500 x1250 x2	A580371	17,500
3000 x1500 x2	A580431	25,200
2000 x1000 x3	A580491	16,800
2500 x1250 x3	A580551	26,250
3000 x1500 x3	A580611	37,800

# Plaat Aluminium Tôle Aluminium

AlMg3, plaat, zacht  
*AlMg3, tôle, recuit*

5754 H111 3.3535

EN 573-3 EN 485-2 EN 485-3 / 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,8	A470096	4,320
2000 x1000 x1	A470151	5,400
2500 x1250 x1	A470211	8,438
3000 x1500 x1	A470286	12,150
2000 x1000 x1,5	A470496	8,100
2500 x1250 x1,5	A470541	12,656
3000 x1500 x1,5	A470646	18,225
4000 x1500 x1,5	A470676	24,300
2000 x1000 x2	A470721	10,800
2500 x1250 x2	A470781	16,875
3000 x1500 x2	A470841	24,300
2500 x1250 x2,5	A470946	21,094
3000 x1500 x2,5	A470968	30,375
2000 x1000 x3	A471006	16,200
2500 x1250 x3	A471051	25,313
3000 x1500 x3	A471088	36,450
6000 x2000 x3	A471106	97,200
2000 x1000 x4	A471126	21,600
2500 x1250 x4	A471156	33,750
3000 x1500 x4	A471186	48,600
6000 x2000 x4	A471221	129,600
2000 x1000 x5	A471231	27,000
2500 x1250 x5	A471261	42,188
3000 x1500 x5	A471291	60,750
4000 x1500 x5	A471311	81,000
6000 x2000 x5	A471316	162,000
2000 x1000 x6	A471351	32,400
2500 x1250 x6	A471381	50,625
3000 x1500 x6	A471411	72,900
6000 x2000 x6	A471431	194,400

# Plaat Aluminium Tôle Aluminium

AlMg3, plaat, 1/4 hard  
AlMg3, tôle, 1/4 dur

5754 H12/H22 3.3535

EN 573-3 EN 485-2 EN 485-4



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,3	A470031	1,620
2000 x1000 x0,5	A470061	2,700
2000 x1000 x0,8	A470091	4,320
2500 x1250 x0,8	A470107	6,750
2000 x1000 x1	A470121	5,400
2500 x1250 x1	A470181	8,438
3000 x1000 x1	A470241	8,100
3000 x1250 x1	A470256	10,125
3000 x1500 x1	A470271	12,150
4000 x1500 x1	A470301	16,200
2000 x1000 x1,2	A470331	6,480
2500 x1250 x1,2	A470361	10,125
3000 x1500 x1,2	A470391	14,580
2000 x1000 x1,5	A470481	8,100
2500 x1250 x1,5	A470511	12,656
3000 x1000 x1,5	A470606	12,150
3000 x1250 x1,5	A470616	15,188
3000 x1500 x1,5	A470631	18,225
4000 x1500 x1,5	A470661	24,300
2000 x1000 x2	A470691	10,800
2500 x1250 x2	A470751	16,875
3000 x1000 x2	A470786	16,200
3000 x1250 x2	A470796	20,250
3000 x1500 x2	A470811	24,300
4000 x1500 x2	A470871	32,400
4000 x2000 x2	A470886	43,200
2000 x1000 x2,5	A470901	13,500
2500 x1250 x2,5	A470931	21,094
3000 x1500 x2,5	A470961	30,375
2000 x1000 x3	A470991	16,200
2200 x1000 x3	A470998	17,820
2500 x1250 x3	A471021	25,313
3000 x1500 x3	A471081	36,450
4000 x1500 x3	A471096	48,600


A x B x e (mm)	Code	Kg / St-Pc
4000 x2000 x3	A471101	64,800
2000 x1000 x4	A471111	21,600
2500 x1250 x4	A471141	33,750
3000 x1500 x4	A471171	48,600
4000 x1500 x4	A471201	64,800

# Plaat Aluminium *Tôle Aluminium*

AlMg3, plaat, zacht, 1 zijde folie  
*AlMg3, tôle, recuit, filmé 1 face*

5754 H111 3.3535

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1,5	A771036	8,400
2500 x1250 x1,5	A771066	13,125
3000 x1500 x1,5	A771096	18,900
2000 x1000 x2	A771126	11,200
2500 x1250 x2	A771156	17,500
3000 x1500 x2	A771186	25,200
2000 x1000 x3	A771306	16,800
2500 x1250 x3	A771336	26,250
3000 x1500 x3	A771366	37,800

# Plaat Aluminium *Tôle Aluminium*

AlMg3, plaat, 1/4 hard, 1 zijde folie  
*AlMg3, tôle, 1/4 dur, filmé 1 face*

5754 H12/H22 3.3535

EN 573-3 EN 485-2 EN 485-4




<b>A x B x e (mm)</b>	<b>Code</b>	<b>Kg / St-Pc</b>
2000 x1000 x1	A770931	5,600
2500 x1250 x1	A770961	8,750
3000 x1500 x1	A770991	12,600
2000 x1000 x1,5	A771021	8,400
2500 x1250 x1,5	A771051	13,125
3000 x1500 x1,5	A771081	18,900
4000 x1500 x1,5	A771101	25,200
2000 x1000 x2	A771111	11,200
2500 x1250 x2	A771141	17,500
3000 x1500 x2	A771171	25,200
4000 x1500 x2	A771191	33,600
4000 x2000 x2	A771196	44,800
2000 x1000 x3	A771291	16,800
2500 x1250 x3	A771321	26,250
3000 x1500 x3	A771351	37,800
4000 x1500 x3	A771381	50,400
4000 x2000 x3	A771411	67,200

# Plaat Aluminium Tôle Aluminium

AlMg3, plaat, warmgewalst  
*AlMg3, tôle, laminé à chaud*

5754 H111 3.3535

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x8	A471471	43,200
2500 x1250 x8	A471501	67,500
3000 x1500 x8	A471531	97,200
6000 x2000 x8	A471551	259,200
2000 x1000 x10	A471591	54,000
2500 x1250 x10	A471621	84,375
3000 x1500 x10	A471651	121,500
2000 x1000 x12	A471711	64,800
2500 x1250 x12	A471741	101,250
3000 x1500 x12	A471771	145,800
2000 x1000 x15	A471831	81,000
2500 x1250 x15	A471861	126,563
3000 x1500 x15	A471891	182,250
2000 x1000 x20	A471951	108,000
2500 x1250 x20	A471981	168,750
3000 x1500 x20	A472011	243,000
2000 x1000 x25	A472071	135,000
2500 x1250 x25	A472086	210,938
3000 x1500 x25	A472101	303,750
2000 x1000 x30	A472161	162,000
3000 x1500 x30	A472221	364,500
3000 x1500 x35	A472341	425,250
2500 x1250 x40	A472431	337,500
3000 x1500 x40	A472461	486,000
3000 x1500 x50	A472581	607,500
3000 x1500 x60	A472701	729,000

# Plaat Aluminium *Tôle Aluminium*

AlMg1, plaat, stainless steel look, 1 zijde folie  
*AlMg1, tôle, stainless steel look, filmé 1 face*

5005 H14/H24 3.3315

Volgens fabrieksspecificatie / Selon spécification d'usine




<b>A x B x e (mm)</b>	<b>Code</b>	<b>Kg / St-Pc</b>
2500 x1250 x1	A790821	8,750
2500 x1250 x1,5	A790851	13,125
3000 x1500 x1,5	A790861	18,900
2500 x1250 x2	A790881	17,500

# Plaat Aluminium Tôle Aluminium

AlMg4,5Mn, plaat, warmgewalst (< 8 mm koudgew.)  
AlMg4,5Mn, tôle, lam. à chaud (< 8 mm lam. à froid)

5083 H111 3.3547

EN 573-3 EN 485-2 EN 485-3 / 485-4



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	A490031	5,400
2000 x1000 x1,5	A490061	8,100
2000 x1000 x2	A490091	10,800
2500 x1250 x2	A490101	16,875
3000 x1500 x2	A490111	24,300
2000 x1000 x2,5	A490121	13,500
2000 x1000 x3	A490151	16,200
2500 x1250 x3	A490161	25,313
3000 x1500 x3	A490173	36,450
6000 x2000 x3	A490178	97,200
2000 x1000 x4	A490181	21,600
2500 x1250 x4	A490191	33,750
3000 x1500 x4	A490203	48,600
6000 x2000 x4	A490231	129,600
2000 x1000 x5	A490256	27,000
2500 x1250 x5	A490257	42,188
3000 x1500 x5	A490258	60,750
2000 x1000 x6	A490268	32,400
2500 x1250 x6	A490267	50,625
3000 x1500 x6	A490269	72,900
6000 x2000 x6	A490291	194,400
2000 x1000 x8	A490308	43,200
2500 x1250 x8	A490316	67,500
3000 x1500 x8	A490361	97,200
2000 x1000 x10	A490441	54,000
2500 x1250 x10	A490451	84,375
3000 x1500 x10	A490481	121,500
2000 x1000 x12	A490526	64,800
2500 x1250 x12	A490541	101,250
3000 x1500 x12	A490571	145,800
2000 x1000 x15	A490616	81,000
2500 x1250 x15	A490631	126,563
3000 x1500 x15	A490661	182,250
2000 x1000 x16	A490706	86,400


A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x20	A490736	108,000
2500 x1250 x20	A490751	168,750
3000 x1500 x20	A490781	243,000
2000 x1000 x25	A490826	135,000
2500 x1250 x25	A490841	210,938
3000 x1500 x25	A490871	303,750
2000 x1000 x30	A490216	162,000
2500 x1250 x30	A490931	253,125
3000 x1500 x30	A490961	364,500
2000 x1000 x35	A491006	189,000
3000 x1500 x35	A491001	425,250
2000 x1000 x40	A491016	216,000
2500 x1250 x40	A491021	337,500
3000 x1500 x40	A491051	486,000
2000 x1000 x45	A491082	243,000
2500 x1250 x45	A491084	379,688
3000 x1500 x45	A491086	546,750
2000 x1000 x50	A491096	270,000
2500 x1250 x50	A491103	421,875
3000 x1500 x50	A491111	607,500
3000 x1500 x55	A491160	668,250
2000 x1000 x60	A491171	324,000
2500 x1250 x60	A491186	506,250
3000 x1500 x60	A491193	729,000
3000 x1500 x65	A491220	789,750
2000 x1000 x70	A491228	378,000
2500 x1250 x70	A491231	590,625
3000 x1500 x70	A491246	850,500
2000 x1000 x80	A491276	432,000
2500 x1250 x80	A491291	675,000
3000 x1500 x80	A491306	972,000
2000 x1000 x90	A491336	486,000
2500 x1250 x90	A491351	759,375
3000 x1500 x90	A491366	1093,500

# Plaat Aluminium *Tôle Aluminium*

AlMg4,5Mn, plaat, warmgewalst (< 8 mm koudgew.)  
*AlMg4,5Mn, tôle, lam. à chaud (< 8 mm lam. à froid)*

5083 H111 3.3547

EN 573-3 EN 485-2 EN 485-3 / 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x100	A491396	540,000
2500 x1250 x100	A491411	843,750
3000 x1500 x100	A491426	1215,000
3000 x1500 x110	A491450	1336,500
2000 x1000 x120	A491456	648,000
2500 x1250 x120	A491471	1012,500
3000 x1500 x120	A491486	1458,000
3000 x1500 x130	A491510	1579,500
3000 x1500 x140	A491520	1701,000
2500 x1250 x150	A491531	1265,625
3000 x1500 x150	A491546	1822,500

# Plaat Aluminium *Tôle Aluminium*

AlMg4,5Mn, plaat, warmgewalst  
*AlMg4,5Mn, tôle, laminé à chaud*

5083 H321 3.3547

EN 573-3 EN 485-2 EN 485-3 / 485-4



A x B x e (mm)	Code	Kg / St-Pc
3000 x2000 x5	A480231	81,000
2500 x1250 x6	A480301	50,625
3000 x2000 x8	A480414	129,600
4000 x2000 x10	A480531	216,000
2000 x1000 x15	A480691	81,000
2500 x1250 x15	A480721	126,563
3000 x1500 x25	A481111	303,750
3000 x1500 x30	A481231	364,500
3000 x1500 x40	A481471	486,000
3000 x1500 x50	A481711	607,500
3000 x1500 x60	A481891	729,000
3000 x1500 x80	A482116	972,000


op korte termijn / à délai court

# Plaat Aluminium *Tôle Aluminium*

AlMg4,5, plaat, gewalst, gefreesd, 2 zijden folie  
*AlMg4,5Mn, tôle, laminé, fraisé, filmé 2 faces*

5083 H111 3.3547

EN 573-3 EN 485-2



A x B x e (mm)	Code	Kg / St-Pc
2520 x1270 x8	A500391	69,129
2520 x1270 x10	A500481	86,411
2520 x1270 x12	A500601	103,693
2520 x1270 x15	A500721	129,616
2520 x1270 x20	A500961	172,822
2520 x1270 x25	A501081	216,027
2520 x1270 x30	A501201	259,232
2520 x1270 x40	A501441	345,643
2520 x1270 x50	A501531	432,054
2520 x1270 x60	A501561	518,465


op korte termijn / à délai court

# Plaat Aluminium Tôle Aluminium

AlMg4,5Mn, plaat, gegoten, gefreesd, 2 zijden folie  
*AlMg4,5Mn, tôle, coulé, fraisé, filmé 2 faces*

5083 3.3547

EN 573-3 Volgens fabrieksspecificatie / Selon spécification d'usine




A x B x e (mm)	Code	Kg / St-Pc
3000 x1500 x5	A530011	60,750
3000 x1500 x6	A530016	72,900
3000 x1500 x6,35	A530046	77,153
3000 x1500 x8	A530151	97,200
3000 x1500 x10	A530226	121,500
3000 x1500 x12	A530316	145,800
3000 x1500 x15	A530436	182,250
3000 x1300 x15,88	A530526	167,216
3000 x1500 x20	A530586	243,000
3000 x1500 x25	A530669	303,750
3000 x1500 x30	A530729	364,500
3000 x1500 x35	A530766	425,250
3000 x1500 x40	A530863	486,000
3000 x1500 x45	A530886	546,750
3000 x1500 x50	A530901	607,500

# Plaat Aluminium Tôle Aluminium

AlMgSi1, plaat, warmgewalst (< 8 mm koudgewalst)  
AlMgSi1, tôle, lam. à chaud (< 8 mm lam. à froid)

6082 T651 3.2315

EN 573-3 EN 485-2 EN 485-3 / 485-4



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	A510031	5,400
2000 x1000 x1,5	A510061	8,100
2000 x1000 x2	A510091	10,800
2000 x1000 x2,5	A510121	13,500
2000 x1000 x3	A510151	16,200
2500 x1250 x3	A510161	25,313
2000 x1000 x4	A510181	21,600
2500 x1250 x4	A510191	33,750
3000 x1500 x4	A510201	48,600
2000 x1000 x5	A510211	27,000
2500 x1250 x5	A510218	42,188
3000 x1500 x5	A510226	60,750
2000 x1000 x6	A510271	32,400
2500 x1250 x6	A510301	50,625
3000 x1500 x6	A510316	72,900
2000 x1000 x8	A510361	43,200
2500 x1250 x8	A510391	67,500
3000 x1500 x8	A510406	97,200
2000 x1000 x10	A510451	54,000
2500 x1250 x10	A510481	84,375
3000 x1500 x10	A510511	121,500
2000 x1000 x12	A510571	64,800
2500 x1250 x12	A510601	101,250
3000 x1500 x12	A510631	145,800
2000 x1000 x15	A510691	81,000
2500 x1250 x15	A510721	126,563
3000 x1500 x15	A510751	182,250
3000 x1500 x16	A510871	194,400
2000 x1000 x20	A510931	108,000
2500 x1250 x20	A510961	168,750
3000 x1500 x20	A510991	243,000
3000 x1500 x25	A511111	303,750
2000 x1000 x30	A511171	162,000
2500 x1250 x30	A511201	253,125


A x B x e (mm)	Code	Kg / St-Pc
3000 x1500 x30	A511231	364,500
3000 x1500 x35	A511351	425,250
3000 x1500 x40	A511471	486,000
3000 x1500 x45	A511591	546,750
3000 x1500 x50	A511711	607,500
3000 x1500 x55	A511793	668,250
3000 x1500 x60	A511891	729,000
3000 x1500 x70	A512011	850,500
3000 x1500 x80	A512116	972,000
2500 x1250 x90	A512191	759,375
2000 x1000 x100	A512251	540,000
2500 x1250 x100	A512281	843,750
3330 x1270 x110	A512330	1256,043
2500 x1250 x120	A512356	1012,500
2500 x1250 x125	A512431	1054,688
2000 x1000 x130	A512491	702,000
2000 x1000 x150	A512551	810,000
1230 x1230 x180	A512801	735,269

# Plaat Aluminium Tôle Aluminium

AlCuMg1, plaat, warmgewalst (< 8 mm koudgewalst)  
AlCuMg1, tôle, lam. à chaud (< 8 mm lam à froid)

2017 T451 3.1325

EN 573-3 EN 485-2 EN 485-3 / 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x5	A540071	28,000
2000 x1000 x6	A540081	33,600
2500 x1250 x8	A540096	70,000
3000 x1500 x8	A540101	100,800
2000 x1000 x10	A540121	56,000
2500 x1250 x10	A540136	87,500
3000 x1500 x10	A540151	126,000
3000 x1500 x12	A540271	151,200
3000 x1500 x15	A540401	189,000
3000 x1500 x16	A540471	201,600
3000 x1500 x20	A540521	252,000
3000 x1500 x25	A540641	315,000
2500 x1250 x30	A540746	262,500
3000 x1500 x30	A540761	378,000
3000 x1500 x35	A540851	441,000
2500 x1250 x40	A540876	350,000
3000 x1500 x40	A540881	504,000
3000 x1500 x45	A540971	567,000
3000 x1500 x50	A541001	630,000
3000 x1500 x55	A541086	693,000
2500 x1250 x60	A541121	525,000
3000 x1500 x60	A541151	756,000
2000 x1000 x65	A541191	364,000
3000 x1500 x65	A541211	819,000
2000 x1000 x70	A541231	392,000
2500 x1250 x70	A541241	612,500
2500 x1250 x75	A541321	656,250
2500 x1250 x80	A541361	700,000
3000 x1500 x80	A541391	1008,000
2500 x1250 x90	A541441	787,500
2500 x1250 x100	A541481	875,000
3000 x1500 x100	A541511	1260,000
2520 x1300 x120	A541726	1100,736

# Plaat Aluminium *Tôle Aluminium*

AlCuMg2, plaat, warmgewalst  
*AlCuMg2, tôle, laminé à chaud*

2024 T451 3.1355

EN 573-3 EN 485-2 EN 485-3 / 485-4



A x B x e (mm)	Code	Kg / St-Pc
2520 x1270 x10	A520601	88,651
2520 x1270 x15	A520721	132,977
3000 x1500 x15	A520751	186,975
3020 x1520 x20	A520991	254,308
2520 x1270 x25	A521081	221,628
3000 x1500 x25	A521111	311,625
3000 x2000 x30	A521246	498,600
3020 x1520 x35	A521351	445,039
2520 x1270 x50	A521681	443,255
3200 x2000 x50	A521726	886,400


op korte termijn / à délai court

# Plaat Aluminium *Tôle Aluminium*

AlZn4,5Mg1, plaat, warmgewalst  
*AlZn4,5Mg1, tôle, laminé à chaud*

7020 T6/T651 3.4335

EN 573-3 EN 485-2 EN 485-3 / 485-4



A x B x e (mm)	Code	Kg / St-Pc
3000 x1500 x10	A840511	124,650
2500 x1250 x15	A840721	129,844
3000 x1500 x15	A840751	186,975
3000 x1500 x25	A841111	311,625
3000 x1500 x30	A841231	373,950
3000 x1500 x40	A841471	498,600
2500 x1250 x50	A841681	432,813
3000 x1500 x100	A842296	1246,500


op korte termijn / à délai court

# Plaat Aluminium Tôle Aluminium

AlZnMgCu0,5, plaat, warmgewalst (< 8 mm koudgewalst)  
*AlZnMgCu0,5, tôle lam. à chaud (< 8 mm lam. à froid)*

7022 T6/T651 3.4345

EN 573-3 EN 485-2 EN 485-3 / 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x5	A850211	27,800
2500 x1250 x10	A850481	86,875
3000 x1500 x12	A850631	150,120
2500 x1250 x15	A850721	130,313
2500 x1250 x20	A850961	173,750
3000 x1500 x20	A850991	250,200
2500 x1250 x25	A851081	217,188
3000 x1500 x30	A851231	375,300
3000 x1500 x35	A851351	437,850
3000 x1500 x40	A851471	500,400
3000 x2000 x40	A851486	667,200
3000 x1500 x50	A851711	625,500
2500 x1250 x60	A851861	521,250
2000 x1000 x135	A852531	750,600

op korte termijn / à délai court

# Plaat Aluminium Tôle Aluminium

AlZnMgCu1,5, plaat, warmgewalst (< 8 mm koudgewalst)  
AlZnMgCu1,5, tôle, lam. à chaud (< 8 mm lam. à froid)



7075 T651 3.4365

EN 573-3 EN 485-2 EN 485-3 / 485-4


A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x3	A550016	16,800
2000 x1000 x4	A550021	22,400
2000 x1000 x5	A550031	28,000
2500 x1250 x6	A550076	52,500
2000 x1000 x8	A550091	44,800
2500 x1250 x8	A550106	70,000
3000 x1500 x8	A550114	100,800
3000 x1500 x10	A550181	126,000
3000 x1500 x12	A550241	151,200
3000 x1500 x15	A550301	189,000
3000 x1500 x20	A550361	252,000
3000 x1500 x25	A550451	315,000
3000 x1500 x30	A550511	378,000
3000 x1500 x35	A550556	441,000
3000 x1500 x40	A550571	504,000
3000 x1500 x45	A550609	567,000
3000 x1500 x50	A550631	630,000
3000 x1500 x55	A550668	693,000
3000 x1500 x60	A550691	756,000
3000 x1500 x65	A550731	819,000
3000 x1500 x70	A550751	882,000
3000 x1500 x75	A550788	945,000
3000 x1500 x80	A550811	1008,000
3000 x1500 x85	A550856	1071,000
3000 x1500 x90	A550871	1134,000
3000 x1500 x100	A550931	1260,000
3000 x1500 x105	A550964	1323,000
3000 x1500 x110	A550968	1386,000
3000 x1500 x120	A550972	1512,000
3000 x1500 x130	A550976	1638,000
3000 x1500 x140	A550981	1764,000
3020 x1050 x150	A550989	1331,820
2800 x1380 x160	A551041	1731,072
2000 x1000 x200	A551151	1120,000

# Plaat Aluminium *Tôle Aluminium*

AlZnMgCu1,5, plaat, gewalst, gefreesd, 2 zijden folie  
*AlZnMgCu1,5, tôle, laminé, fraisé, filmé 2 faces*

7075 T651 3.4365

EN 573-3 EN 485-2



A x B x e (mm)	Code	Kg / St-Pc
2520 x1270 x8	A560391	71,689
2520 x1270 x10	A560481	89,611
2520 x1270 x12	A560601	107,533
2520 x1270 x15	A560721	134,417
2520 x1270 x20	A560961	179,222
2520 x1270 x25	A561081	224,028
2520 x1270 x30	A561201	268,834
2520 x1270 x40	A561441	358,445
2520 x1270 x50	A561681	448,056


op korte termijn / à délai court

# Plaat Aluminium *Tôle Aluminium*


Plaat, poederlak RAL9010/9016, 1 zijde folie  
*Tôle, laquée à poudre RAL9010/9016, filmé 1 face*

3105 H22 3.0505

EN 573-3 EN 485-2



A x B x e (mm)	Code	Kg / St-Pc
2500 x1250 x0,8	A590031	7,000
2000 x1000 x1,5	A590061	8,400
2500 x1250 x1,5	A590121	13,125
3000 x1500 x1,5	A590181	18,900
4000 x1500 x1,5	A590241	25,200
2000 x1000 x2	A590331	11,200
2500 x1250 x2	A590391	17,500
3000 x1500 x2	A590451	25,200




**Nieuw / nouveau : RAL7016 / RAL 9005**

# Plaat Aluminium *Tôle Aluminium*

Plaat, poederlak, RAL8019, 1 zijde folie  
*Tôle, laquée à poudre RAL8019, filmé 1 face*

3105 H22 3.0505  
EN 573-3 EN485-2



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1,5	A590091	8,400
2500 x1250 x1,5	A590151	13,125
3000 x1500 x1,5	A590211	18,900
4000 x1500 x1,5	A590271	25,200




# Plaat Aluminium *Tôle Aluminium*


Plaat, poederlak, RAL9006, 1 zijde folie  
*Tôle, laquée à poudre RAL9006, filmé 1 face*

3105 H22 3.0505

EN 573-3 EN 485-2




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1,5	A590116	8,400
2500 x1250 x1,5	A590166	13,125
3000 x1500 x1,5	A590226	18,900




# Plaat Aluminium *Tôle Aluminium*

Gutbond Easy RAL9010, 9005, 9006 & Alu geborsteld  
*Gutbond Easy RAL9010, 9005, 9006 & Alum. brossé*



A x B x e (mm)	Code	Kg / St-Pc
2050 x1000 x3	A810121	7,788
3050 x1500 x3	A810181	17,381
4050 x1500 x3	A810211	23,080
2050 x1000 x4	A810241	10,385
2500 x1250 x4	A810271	15,830
3050 x1500 x4	A810301	23,175
4050 x1500 x4	A810331	30,774




op korte termijn / à délai court

# Plaat Aluminium *Tôle Aluminium*


Al99,5, plaat, zontekening  
*Al99,5, tôle, bouchonnée*

1050 H14/H24 3.0255

EN 573-3 EN 485-2 EN 485-4




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,8	A650031	4,320
2500 x1250 x0,8	A650046	6,750
2000 x1000 x1,2	A650061	6,480
2500 x1250 x1,2	A650091	10,125




# Plaat Aluminium *Tôle Aluminium*

Al99,5, plaat, hamerslag  
*Al99,5, tôle, martelée*

1050 H14/H24 3.0255




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,5	A645021	2,700




# Plaat Aluminium *Tôle Aluminium*

AlMg1, Linnenstructuur, 5WL  
*AlMg1, Structure Lin, 5WL*

5005 H14/H24 3.3315



A x B x e (mm)	Code	Kg / St-Pc
2500 x1250 x1,5	A646021	13,125




Schaal - Echelle:  $\pm 2/1$

# Plaat Aluminium *Tôle Aluminium*


Al99,5, plaat, stucco - tekening  
*Al99,5, tôle, stucco dessin*

1050 H14/H24 3.0255

EN 573-3 EN 485-2 EN 485-4



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,8	A670031	4,320
2500 x1250 x0,8	A670061	6,750
2000 x1000 x1,0	A670121	5,400
2500 x1250 x1,0	A670151	8,438
3000 x1500 x1,0	A670181	12,150




# Plaat Aluminium Tôle Aluminium

AlMg3, traanplaat, 5-traans, ongebeitst  
*AlMg3, tôle damier, 5 larmes, non-décapé*


5754 H114 3.3535

EN 573-3 EN 1386



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1,5/2	A630004	9,000
2500 x1250 x1,5/2	A630007	14,063
2000 x1000 x2/3,5	A630016	12,000
2500 x1250 x2/3,5	A630046	18,750
3000 x1250 x2/3,5	A630053	22,500
3000 x1500 x2/3,5	A630057	27,000
2000 x1000 x2,5/4	A630091	15,000
2500 x1250 x2,5/4	A630151	23,438
3000 x1250 x2,5/4	A630170	28,125
3000 x1500 x2,5/4	A630211	33,750
2000 x1000 x3/4,5	A630218	18,000
2500 x1250 x3/4,5	A630226	28,125
3000 x1250 x3/4,5	A630230	33,750
3000 x1500 x3/4,5	A630234	40,500
2000 x1000 x3,5/5	A630301	21,000
2500 x1250 x3,5/5	A630361	32,813
3000 x1250 x3,5/5	A630371	39,375
3000 x1500 x3,5/5	A630421	47,250
4000 x1500 x3,5/5	A630424	63,000
6000 x2000 x3,5/5	A630431	126,000
2000 x1000 x4/5,5	A630436	24,000
2500 x1250 x4/5,5	A630466	37,500
3000 x1500 x4/5,5	A630473	54,000
2000 x1000 x5/6,5	A630511	30,000
2500 x1250 x5/6,5	A630571	46,875
3000 x1000 x5/6,5	A630578	45,000
3000 x1250 x5/6,5	A630586	56,250
3000 x1500 x5/6,5	A630631	67,500
4000 x1500 x5/6,5	A630635	90,000
6000 x2000 x5/6,5	A630646	180,000
2000 x1000 x7/8,5	A630661	42,000
2500 x1250 x7/8,5	A630666	65,625
3000 x1500 x7/8,5	A630671	94,500
2000 x1000 x8/9,5	A630681	48,000

A x B x e (mm)	Code	Kg / St-Pc
2500 x1250 x8/9,5	A630692	75,000
3000 x1500 x8/9,5	A630701	108,000




# Plaat Aluminium Tôle Aluminium


AlMg3, traanplaat, 5-traans, gebeitst  
*AlMg3, tôle damier, 5 larmes, décapé*

5754 H114 3.3535

EN 573-3 EN 1386



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1,5/2	A630003	9,000
2500 x1250 x1,5/2	A630008	14,063
2500 x1250 x2/3,5	A630031	18,750
3000 x1500 x2/3,5	A630059	27,000
2000 x1000 x2,5/4	A630061	15,000
2500 x1250 x2,5/4	A630121	23,438
3000 x1000 x2,5/4	A630166	22,500
3000 x1250 x2,5/4	A630171	28,125
3000 x1500 x2,5/4	A630181	33,750
2000 x1000 x3/4,5	A630216	18,000
2500 x1250 x3/4,5	A630224	28,125
3000 x1000 x3/4,5	A630228	27,000
3000 x1500 x3/4,5	A630233	40,500
4000 x1500 x3/4,5	A630246	54,000
2000 x1000 x3,5/5	A630271	21,000
2500 x1250 x3,5/5	A630331	32,813
3000 x1500 x3,5/5	A630391	47,250
2500 x1250 x4/5,5	A630451	37,500
2000 x1000 x5/6,5	A630481	30,000
2500 x1250 x5/6,5	A630541	46,875
3000 x1000 x5/6,5	A630576	45,000
3000 x1250 x5/6,5	A630584	56,250
3000 x1500 x5/6,5	A630601	67,500
4000 x1500 x5/6,5	A630633	90,000
2000 x1000 x7/8,5	A630658	42,000
2500 x1250 x7/8,5	A630664	65,625
3000 x1500 x7/8,5	A630669	94,500
2500 x1250 x8/9,5	A630691	75,000




# Plaat Aluminium *Tôle Aluminium*


AlMg3, traanplaat, 2-traans, ongebeitst  
*AlMg3, tôle damier, 2 larmes, non-décapé*

5754 H114 3.3535

EN 573-3 EN 1386



A x B x e (mm)	Code	Kg / St-Pc
3000 x1500 x1,2/1,7	A630801	16,200
2000 x1000 x2,5/4	A630901	15,000
2500 x1250 x2,5/4	A630961	23,438
3000 x1250 x2,5/4	A630976	28,125
3000 x1500 x2,5/4	A631021	33,750
2000 x1000 x3,5/5	A631081	21,000
2500 x1250 x3,5/5	A631141	32,813
3000 x1250 x3,5/5	A631166	39,375
3000 x1500 x3,5/5	A631201	47,250
2000 x1000 x5/6,5	A631261	30,000
2500 x1250 x5/6,5	A631321	46,875
3000 x1500 x5/6,5	A631381	67,500




# Plaat Aluminium Tôle Aluminium


AlMg3, traanplaat, 2-traans, gebeitst  
*AlMg3, tôle damier, 2 larmes, décapé*

5754 H114 3.3535

EN 573-3 EN 1386



A x B x e (mm)	Code	Kg / St-Pc
3000 x1500 x2/3,5	A630841	27,000
2000 x1000 x2,5/4	A630871	15,000
2500 x1250 x2,5/4	A630931	23,438
3000 x1500 x2,5/4	A630991	33,750
2000 x1000 x3/4,5	A631031	18,000
2500 x1250 x3/4,5	A631036	28,125
3000 x1250 x3/4,5	A631041	33,750
3000 x1500 x3/4,5	A631046	40,500
2500 x1250 x3,5/5	A631111	32,813
3000 x1500 x3,5/5	A631171	47,250
2000 x1000 x5/6,5	A631231	30,000
2500 x1250 x5/6,5	A631291	46,875
3000 x1000 x5/6,5	A631341	45,000
3000 x1250 x5/6,5	A631346	56,250
3000 x1500 x5/6,5	A631351	67,500




# Plaat Aluminium *Tôle Aluminium*


AlMn, traanplaat, 1- traans, blinkend, 'diamond bright'  
*AlMn, tôle larmée, 1 larme, brillant, 'diamond bright'*

3003

EN 573-3 EN 1386



A x B x e (mm)	Code	Kg / St-Pc
2500 x1219 x1,6/2,8	A633301	14,628




# Plaat Aluminium *Tôle Aluminium*


AlMg3, rijstkorrelplaat, ongebeitst  
*AlMg3, tôle grain de riz, non-décapé*

5754 H244 3.3535

EN 573-3 EN 1386




A x B x e (mm)	Code	Kg / St-Pc
2500 x1250 x1,5/2	A641021	14,063
2500 x1250 x 2/2,5	A641026	18,750
2500 x1250 x2,5/3	A641231	23,438




# Plaat Aluminium Tôle Aluminium

Geperforeerd Al99,5 - 1050  
Perforé Al99,5 - 1050




A x B x e (mm)	Code	Nr/N°	Type	Gat/Trou (mm)	Steek/Pas (mm)	Doorlaat/Passage
2000 x1000 x1,5	A690031	7		25x5	Afgerond/Arrondi	50 %
2000 x1000 x2	A690061	8	A	ø5	8	35 %
2500 x1250 x2	A690091	8bis	A	ø5	8	35 %
2000 x1000 x2	A690121	9	B	10	12	69 %
2000 x1000 x0,8	A690151	10	A	ø1,5	3	23 %
2000 x1000 x1	A690181	11	A	ø2	3,5	30 %
2000 x1000 x1	A690211	12	A	ø3	5	33 %
2000 x1000 x1	A690241	13	A	ø5	8	35 %
2000 x1000 x1	A690271	14	B	5	7,5	44 %
2000 x1000 x1,5	A690301	15	B	5	7,5	44 %
2000 x1000 x2	A690331	16	A	ø8	12	40 %
2000 x1000 x2	A690361	17	B	8	12	44 %
2500 x1250 x2	A690376	17bis	B	8	12	44 %
2000 x1000 x3	A690391	18	A	ø10	15	40 %
2000 x1000 x3	A690421	19	A	ø15	20	51 %
2500 x1250 x3	A690451	20	A	ø5	8	35 %

Type A



Type B




# Band Aluminium

## *Bande Aluminium*

Al99,5, band  
*Al99,5, bande*

1050 H14/H24 3.0255

EN 573-3 EN 485-2 EN 485-4



A x e (mm)	Code	Kg / Me
600 x0,1	A710061	0,162
600 x0,2	A710091	0,324
1000 x0,6	A710106	1,620
1000 x0,8	A710121	2,160
1000 x1	A710151	2,700
1500 x0,8	A710466	3,240
1100 x1	A710491	2,970
1250 x1	A710511	3,375
1500 x1	A710541	4,050
1250 x1,2	A710571	4,050
1000 x1,5	A710601	4,050
1250 x1,5	A710631	5,063
1400 x1,5	A710641	5,670
1500 x1,5	A710661	6,075
1000 x2	A710691	5,400
1100 x2	A710701	5,940
1250 x2	A710721	6,750
1500 x2	A710751	8,100
1000 x2,5	A710781	6,750
1000 x3	A710871	8,100
1250 x3	A710901	10,125
1500 x3	A710931	12,150


op korte termijn / à délai court

# Band Aluminium

## *Bande Aluminium*

AlMg1, band  
*AlMg1, bande*

5005 H14/H24 3.3315  
EN 573-3 EN 485-2 EN 485-4



A x e (mm)	Code	Kg / Me
1000 x2	A700121	5,400
1250 x2	A700151	6,750
1500 x2	A700181	8,100
1250 x3	A700241	10,125
1500 x3	A700271	12,150

op korte termijn / à délai court


# Band Aluminium

## *Bande Aluminium*

AlMg3, band  
*AlMg3, bande*

5754 H12/H22 3.3535

EN 573-3 EN 485-2 EN 485-4



A x e (mm)	Code	Kg / Me
1000 x1	A740101	2,700
1250 x1	A740131	3,375
1250 x1,5	A740211	5,063
1500 x1,5	A740241	6,075
1000 x2	A740271	5,400
1250 x2	A740301	6,750
1500 x2	A740331	8,100
1000 x3	A740361	8,100
1250 x3	A740391	10,125
1500 x3	A740421	12,150

op korte termijn / à délai court


# Band Aluminium

## *Bande Aluminium*

AlMg3, band, zacht  
*AlMg3, bande, recuit*

5754 H111 3.3535

EN 573-3 EN 485-2 EN 485-4



A x e (mm)	Code	Kg / Me
1000 x1,5	A760121	4,050
1250 x1,5	A760151	5,063
1500 x1,5	A760181	6,075
1000 x2	A760211	5,400
1250 x2	A760241	6,750
1500 x2	A760271	8,100
1500 x2,5	A760286	10,125
1250 x3	A760331	10,125
1500 x3	A760361	12,150

op korte termijn / à délai court


# Draad Aluminium

## *Fil Aluminium*

Al99,5, draad op rol, zacht  
*Al99,5, fil sur rouleau, recuit*

1050 H14/H24 3.0255

EN 573-3



rol / rouleau 50 kg		
D (mm)	Code	Kg / Me
ø10	A730151	0,212