


Plaat Roestvast staal

Tôle Acier inoxydable

304, plaat, koudgewalst, 2B
 304, tôle, laminé à froid, 2B

1.4301

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,4	E550001	6,400
2000 x1000 x0,5	E550031	8,000
2500 x1250 x0,5	E550041	12,500
2000 x1000 x0,6	E550061	9,600
2500 x1250 x0,6	E550071	15,000
2000 x1000 x0,7	E550076	11,200
2500 x1250 x0,7	E550081	17,500
2000 x1000 x0,8	E550091	12,800
2500 x1250 x0,8	E550106	20,000
3000 x1000 x0,8	E550108	19,200
3000 x1500 x0,8	E550112	28,800
2000 x1000 x1	E550121	16,000
2500 x1250 x1	E550151	25,000
3000 x1000 x1	E550161	24,000
3000 x1250 x1	E550166	30,000
3000 x1500 x1	E550181	36,000
4000 x1250 x1	E550191	40,000
4000 x1500 x1	E550196	48,000
2000 x1000 x1,25	E550211	20,000
2500 x1250 x1,25	E550226	31,250
3000 x1000 x1,25	E550228	30,000
3000 x1250 x1,25	E550230	37,500
3000 x1500 x1,25	E550233	45,000
4000 x1250 x1,25	E550237	50,000
2000 x1000 x1,5	E550241	24,000
2500 x1250 x1,5	E550271	37,500
3000 x1000 x1,5	E550281	36,000
3000 x1250 x1,5	E550286	45,000
3000 x1500 x1,5	E550301	54,000
4000 x1250 x1,5	E550311	60,000
4000 x1500 x1,5	E550316	72,000
4000 x2000 x1,5	E550320	96,000
6000 x1500 x1,5	E550324	108,000
6000 x2000 x1,5	E550329	144,000

A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x2	E550331	32,000
2500 x1250 x2	E550361	50,000
3000 x1000 x2	E550371	48,000
3000 x1250 x2	E550376	60,000
3000 x1500 x2	E550391	72,000
3000 x2000 x2	E550393	96,000
4000 x1250 x2	E550401	80,000
4000 x1500 x2	E550406	96,000
4000 x2000 x2	E550409	128,000
6000 x1500 x2	E550411	144,000
6000 x2000 x2	E550416	192,000
2000 x1000 x2,5	E550421	40,000
2500 x1250 x2,5	E550451	62,500
3000 x1250 x2,5	E550461	75,000
3000 x1500 x2,5	E550466	90,000
2000 x1000 x3	E550481	48,000
2500 x1250 x3	E550511	75,000
3000 x1000 x3	E550516	72,000
3000 x1250 x3	E550521	90,000
3000 x1500 x3	E550541	108,000
3000 x2000 x3	E550542	144,000
4000 x1500 x3	E550551	144,000
4000 x2000 x3	E550546	192,000
6000 x1500 x3	E550554	216,000
6000 x2000 x3	E550566	288,000
2000 x1000 x4	E550571	64,000
2500 x1250 x4	E550601	100,000
3000 x1000 x4	E550606	96,000
3000 x1250 x4	E550611	120,000
3000 x1500 x4	E550616	144,000
3000 x2000 x4	E550617	192,000
4000 x1500 x4	E550619	192,000
4000 x2000 x4	E550622	256,000
6000 x1500 x4	E550625	288,000


Plaat Roestvast staal

Tôle Acier inoxydable

304, plaat, koudgewalst, 2B
304, tôle, laminé à froid, 2B

1.4301

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
6000 x2000 x4	E550628	384,000
2000 x1000 x5	E550629	80,000
2500 x1250 x5	E550634	125,000
3000 x1000 x5	E550641	120,000
3000 x1250 x5	E550643	150,000
3000 x1500 x5	E550653	180,000
3000 x2000 x5	E550652	240,000
4000 x1500 x5	E550654	240,000
4000 x2000 x5	E550655	320,000
6000 x1500 x5	E550656	360,000
6000 x2000 x5	E550657	480,000
2000 x1000 x6	E550660	96,000
2500 x1250 x6	E550690	150,000
3000 x1500 x6	E550705	216,000
3000 x2000 x6	E550708	288,000
4000 x1500 x6	E550715	288,000
4000 x2000 x6	E550725	384,000
6000 x1500 x6	E550735	432,000
6000 x2000 x6	E550745	576,000
2000 x1000 x8	E550755	128,000
2500 x1250 x8	E550765	200,000
3000 x1500 x8	E550775	288,000


Plaat Roestvast staal

Tôle Acier inoxydable

304, plaat, koudgewalst, 2B, 1 zijde laserfolie
 304, tôle, laminé à froid, 2B, 1 face film laser

1.4301

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,8	E750111	12,800
2500 x1250 x0,8	E750141	20,000
3000 x1500 x0,8	E750171	28,800
2000 x1000 x1	E750201	16,000
2500 x1250 x1	E750291	25,000
3000 x1500 x1	E750321	36,000
4000 x1500 x1	E750327	48,000
2000 x1000 x1,25	E750331	20,000
2500 x1250 x1,25	E750341	31,250
3000 x1500 x1,25	E750351	45,000
2000 x1000 x1,5	E750381	24,000
2500 x1250 x1,5	E750441	37,500
3000 x1500 x1,5	E750471	54,000
4000 x1500 x1,5	E750501	72,000
4000 x2000 x1,5	E750511	96,000
2000 x1000 x2	E750531	32,000
2500 x1250 x2	E750591	50,000
3000 x1500 x2	E750651	72,000
4000 x1500 x2	E750661	96,000
4000 x2000 x2	E750671	128,000
6000 x2000 x2	E750678	192,000
2000 x1000 x3	E750681	48,000
2500 x1250 x3	E750711	75,000
3000 x1500 x3	E750741	108,000
4000 x1500 x3	E750771	144,000
4000 x2000 x3	E750781	192,000
6000 x1500 x3	E750784	216,000
6000 x2000 x3	E750787	288,000
2000 x1000 x4	E750791	64,000
2500 x1250 x4	E750801	100,000
3000 x1500 x4	E750831	144,000
4000 x2000 x4	E750841	256,000
6000 x1500 x4	E750844	288,000
6000 x2000 x4	E750848	384,000

A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x5	E750851	80,000
2500 x1250 x5	E750871	125,000
3000 x1500 x5	E750921	180,000
2000 x1000 x6	E750951	96,000
2500 x1250 x6	E750981	150,000
3000 x1500 x6	E750991	216,000


Plaat Roestvast staal

Tôle Acier inoxydable

304, plaat, koudgewalst, 2B, gesl. K320, 1 zijde laserfolie
 304, tôle, lam.à froid, 2B, poli G320, film laser 1 face

1.4301

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,8	E580031	12,800
2500 x1250 x0,8	E580046	20,000
3000 x1500 x0,8	E580053	28,800
2000 x1000 x1	E580061	16,000
2500 x1250 x1	E580091	25,000
3000 x1250 x1	E580106	30,000
3000 x1500 x1	E580121	36,000
2000 x1000 x1,25	E580126	20,000
2500 x1250 x1,25	E580128	31,250
3000 x1500 x1,25	E580136	45,000
2000 x1000 x1,5	E580151	24,000
2500 x1250 x1,5	E580181	37,500
3000 x1250 x1,5	E580196	45,000
3000 x1500 x1,5	E580211	54,000
4000 x1500 x1,5	E580228	72,000
4000 x2000 x1,5	E580231	96,000
2000 x1000 x2	E580241	32,000
2500 x1250 x2	E580271	50,000
3000 x1250 x2	E580286	60,000
3000 x1500 x2	E580301	72,000
4000 x2000 x2	E580321	128,000
6000 x2000 x2	E580326	192,000
3000 x1500 x2,5	E580328	90,000
2000 x1000 x3	E580331	48,000
2500 x1250 x3	E580346	75,000
3000 x1500 x3	E580361	108,000
4000 x1500 x3	E580371	144,000
4000 x2000 x3	E580381	192,000
2000 x1000 x4	E580391	64,000
2500 x1250 x4	E580421	100,000
3000 x1500 x4	E580451	144,000
2000 x1000 x5	E580481	80,000
2500 x1250 x5	E580511	125,000
3000 x1500 x5	E580541	180,000

A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x6	E580571	96,000
2500 x1250 x6	E580601	150,000
3000 x1500 x6	E580631	216,000


Plaat Roestvast staal

Tôle Acier inoxydable

304, plaat, koudgewalst, BA, 1 zijde laserfolie (> 0,6 mm)
 304, tôle, lam. à froid, BA, 1 face film laser (> 0,6 mm)

1.4301

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,5	E610036	8,000
2500 x1250 x0,5	E610041	12,500
2000 x1000 x0,6	E610046	9,600
2000 x1000 x0,8	E610061	12,800
2500 x1250 x0,8	E610071	20,000
3000 x1500 x0,8	E610101	28,800
2000 x1000 x1	E610121	16,000
2500 x1250 x1	E610151	25,000
3000 x1500 x1	E610156	36,000
2000 x1000 x1,25	E610161	20,000
2500 x1250 x1,25	E610166	31,250
2000 x1000 x1,5	E610171	24,000
2500 x1250 x1,5	E610211	37,500
3000 x1500 x1,5	E610221	54,000
2000 x1000 x2	E610231	32,000
2500 x1250 x2	E610241	50,000
3000 x1500 x2	E610251	72,000


Plaat Roestvast staal

Tôle Acier inoxydable

304, plaat, warmgewalst, 1D
 304, tôle laminé à chaud, 1D

1.4301

EN 10088-2 EN 10051



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x3	E560310	48,000
2500 x1250 x3	E560370	75,000
3000 x1500 x3	E560430	108,000
2000 x1000 x4	E560490	64,000
2500 x1250 x4	E560550	100,000
3000 x1500 x4	E560610	144,000
4000 x1500 x4	E560620	192,000
4000 x2000 x4	E560630	256,000
6000 x1500 x4	E560640	288,000
6000 x2000 x4	E560650	384,000
2000 x1000 x5	E560670	80,000
2500 x1250 x5	E560730	125,000
3000 x1500 x5	E560790	180,000
4000 x1500 x5	E560800	240,000
4000 x2000 x5	E560810	320,000
6000 x1500 x5	E560820	360,000
6000 x2000 x5	E560830	480,000
2000 x1000 x6	E560850	96,000
2500 x1250 x6	E560910	150,000
3000 x1500 x6	E560970	216,000
4000 x1500 x6	E560980	288,000
4000 x2000 x6	E560990	384,000
6000 x1500 x6	E561000	432,000
6000 x2000 x6	E561010	576,000
2000 x1000 x8	E561030	128,000
2500 x1250 x8	E561090	200,000
3000 x1500 x8	E561150	288,000
4000 x1500 x8	E561160	384,000
4000 x2000 x8	E561170	512,000
6000 x1500 x8	E561180	576,000
6000 x2000 x8	E561190	768,000
2000 x1000 x10	E561210	160,000
2500 x1250 x10	E561270	250,000
3000 x1500 x10	E561330	360,000

A x B x e (mm)	Code	Kg / St-Pc
4000 x1500 x10	E561340	480,000
4000 x2000 x10	E561350	640,000
6000 x1500 x10	E561360	720,000
6000 x2000 x10	E561370	960,000
2000 x1000 x12	E561390	192,000
2500 x1250 x12	E561420	300,000
3000 x1500 x12	E561450	432,000
4000 x1500 x12	E561460	576,000
4000 x2000 x12	E561470	768,000
6000 x1500 x12	E561480	864,000
6000 x2000 x12	E561490	1152,000


Plaat Roestvast staal

Tôle Acier inoxydable

304, plaat, warmgewalst, quarto
304, tôle, laminé à chaud, quarto

1.4301

EN 10088-2 EN 10029 klasse B



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x15	E590031	240,000
2500 x1250 x15	E590061	375,000
3000 x1500 x15	E590091	540,000
6000 x1500 x15	E590101	1080,000
6000 x2000 x15	E590111	1440,000
2000 x1000 x20	E590121	320,000
2500 x1250 x20	E590151	500,000
3000 x1500 x20	E590181	720,000
6000 x1500 x20	E590191	1440,000
6000 x2000 x20	E590201	1920,000
2000 x1000 x25	E590211	400,000
2500 x1250 x25	E590241	625,000
3000 x1500 x25	E590271	900,000
6000 x1500 x25	E590281	1800,000
6000 x2000 x25	E590291	2400,000
2000 x1000 x30	E590301	480,000
2500 x1250 x30	E590331	750,000
3000 x1500 x30	E590361	1080,000
6000 x1500 x30	E590371	2160,000
6000 x2000 x30	E590381	2880,000
6000 x2000 x40	E590401	3840,000


Plaat Roestvast staal

Tôle Acier inoxydable

316L, plaat, koudgewalst, 2B
 316L, tôle, laminé à froid, 2B

1.4404

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,5	E640016	8,000
2500 x1250 x0,5	E640021	12,500
2000 x1000 x0,6	E640026	9,600
2500 x1250 x0,6	E640029	15,000
2000 x1000 x0,8	E640031	12,800
2500 x1250 x0,8	E640046	20,000
3000 x1500 x0,8	E640051	28,800
2000 x1000 x1	E640061	16,000
2500 x1250 x1	E640076	25,000
3000 x1250 x1	E640081	30,000
3000 x1500 x1	E640083	36,000
2000 x1000 x1,25	E640088	20,000
2500 x1250 x1,25	E640089	31,250
3000 x1500 x1,25	E640090	45,000
2000 x1000 x1,5	E640091	24,000
2500 x1250 x1,5	E640106	37,500
3000 x1500 x1,5	E640113	54,000
4000 x1500 x1,5	E640118	72,000
2000 x1000 x2	E640121	32,000
2500 x1250 x2	E640151	50,000
3000 x1250 x2	E640161	60,000
3000 x1500 x2	E640181	72,000
4000 x1500 x2	E640186	96,000
4000 x2000 x2	E640191	128,000
6000 x2000 x2	E640196	192,000
2000 x1000 x2,5	E640201	40,000
2500 x1250 x2,5	E640206	62,500
3000 x1500 x2,5	E640208	90,000
2000 x1000 x3	E640211	48,000
2500 x1250 x3	E640226	75,000
3000 x1000 x3	E640231	72,000
3000 x1250 x3	E640238	90,000
3000 x1500 x3	E640241	108,000
4000 x1500 x3	E640246	144,000

A x B x e (mm)	Code	Kg / St-Pc
4000 x2000 x3	E640251	192,000
6000 x1500 x3	E640256	216,000
6000 x2000 x3	E640261	288,000
2000 x1000 x4	E640271	64,000
2500 x1250 x4	E640286	100,000
3000 x1500 x4	E640293	144,000
4000 x1500 x4	E640294	192,000
4000 x2000 x4	E640295	256,000
6000 x1500 x4	E640296	288,000
6000 x2000 x4	E640297	384,000
2000 x1000 x5	E640301	80,000
2500 x1250 x5	E640331	125,000
3000 x1500 x5	E640371	180,000
4000 x1500 x5	E640376	240,000
4000 x2000 x5	E640381	320,000
6000 x1500 x5	E640386	360,000
6000 x2000 x5	E640391	480,000
2000 x1000 x6	E640396	96,000
2500 x1250 x6	E640401	150,000
3000 x1500 x6	E640451	216,000
4000 x1500 x6	E640456	288,000
4000 x2000 x6	E640461	384,000
6000 x1500 x6	E640466	432,000
6000 x2000 x6	E640471	576,000


Plaat Roestvast staal

Tôle Acier inoxydable

316L, plaat, koudgew., 2B, 1 zijde laserfolie
316L, tôle, lam. à froid, 2B, 1 face film laser

1.4404

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	E760201	16,000
2500 x1250 x1	E760291	25,000
3000 x1500 x1	E760321	36,000
2000 x1000 x1,5	E760381	24,000
2500 x1250 x1,5	E760441	37,500
3000 x1500 x1,5	E760471	54,000
2000 x1000 x2	E760531	32,000
2500 x1250 x2	E760591	50,000
3000 x1500 x2	E760651	72,000
2000 x1000 x3	E760681	48,000
2500 x1250 x3	E760711	75,000
3000 x1500 x3	E760741	108,000
2000 x1000 x4	E760791	64,000
2500 x1250 x4	E760801	100,000
3000 x1500 x4	E760831	144,000


Plaat Roestvast staal

Tôle Acier inoxydable

316L, plaat, koudgew., 2B, gesl. K320, 1 zijde laserfolie
316L, tôle, lam. à froid, 2B, poli G320, film laser 1 face

1.4404

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	E650051	16,000
2500 x1250 x1	E650081	25,000
3000 x1500 x1	E650111	36,000
2000 x1000 x1,5	E650231	24,000
2500 x1250 x1,5	E650261	37,500
3000 x1500 x1,5	E650291	54,000
2000 x1000 x2	E650371	32,000
2500 x1250 x2	E650401	50,000
3000 x1500 x2	E650431	72,000
2000 x1000 x3	E650461	48,000
2500 x1250 x3	E650491	75,000
3000 x1500 x3	E650511	108,000


Plaat Roestvast staal

Tôle Acier inoxydable

316L, plaat, warmgewalst, 1D
 316L, tôle, laminé à chaud, 1D

1.4404

EN 10088-2 EN 10051



A x B x e (mm)	Code	Kg / St-Pc
3000 x1500 x3	E630390	108,000
2000 x1000 x4	E630420	64,000
2500 x1250 x4	E630480	100,000
3000 x1500 x4	E630540	144,000
4000 x1500 x4	E630550	192,000
4000 x2000 x4	E630560	256,000
6000 x2000 x4	E630570	384,000
2000 x1000 x5	E630600	80,000
2500 x1250 x5	E630660	125,000
3000 x1500 x5	E630720	180,000
4000 x1500 x5	E630722	240,000
4000 x2000 x5	E630725	320,000
6000 x2000 x5	E630729	480,000
2000 x1000 x6	E630730	96,000
2500 x1250 x6	E630750	150,000
3000 x1500 x6	E630780	216,000
4000 x1500 x6	E630790	288,000
4000 x2000 x6	E630800	384,000
6000 x1500 x6	E630810	432,000
6000 x2000 x6	E630820	576,000
2000 x1000 x8	E630830	128,000
2500 x1250 x8	E630840	200,000
3000 x1500 x8	E630850	288,000
4000 x2000 x8	E630870	512,000
6000 x1500 x8	E630880	576,000
6000 x2000 x8	E630890	768,000
2000 x1000 x10	E630900	160,000
2500 x1250 x10	E630910	250,000
3000 x1500 x10	E630920	360,000
4000 x1500 x10	E630930	480,000
6000 x1500 x10	E630940	729,000
2000 x1000 x12	E630950	192,000
2500 x1250 x12	E630960	300,000
3000 x1500 x12	E630970	432,000

A x B x e (mm)	Code	Kg / St-Pc
6000 x1500 x12	E630990	864,000


Plaat Roestvast staal

Tôle Acier inoxydable

316L, plaat, warmgewalst, quarto
316L, tôle, laminé à chaud, quarto

1.4404

EN 10088-2 EN 10029 klasse A



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x15	E600031	240,000
2500 x1250 x15	E600061	375,000
3000 x1500 x15	E600091	540,000
6000 x1500 x15	E600121	1080,000
6000 x2000 x15	E600151	1440,000
2000 x1000 x20	E600181	320,000
2500 x1250 x20	E600211	500,000
3000 x1500 x20	E600241	720,000
6000 x1500 x20	E600271	1440,000
6000 x2000 x20	E600301	1920,000
2000 x1000 x25	E600331	400,000
2500 x1250 x25	E600361	625,000
3000 x1500 x25	E600391	900,000
6000 x1500 x25	E600421	1800,000
6000 x2000 x25	E600451	2400,000
6000 x2000 x30	E600481	2880,000
6000 x2000 x40	E600511	3840,000
6000 x2000 x50	E600541	4800,000


Plaat Roestvast staal

Tôle Acier inoxydable

430, plaat, koudgewalst, 2R, BA
430, tôle, laminé à froid, 2R, BA

1.4016

EN 10088-2 EN 10259



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,8	E800031	12,800
2500 x1250 x0,8	E800061	20,000
3000 x1500 x0,8	E800091	28,800
2000 x1000 x1	E800121	16,000
2500 x1250 x1	E800151	25,000
3000 x1500 x1	E800181	36,000
2000 x1000 x1,5	E800211	24,000
2500 x1250 x1,5	E800241	37,500
3000 x1500 x1,5	E800271	54,000
2000 x1000 x2	E800301	32,000
2500 x1250 x2	E800331	50,000
3000 x1500 x2	E800361	72,000


Plaat Roestvast staal

Tôle Acier inoxydable


304, traanplaat, 'mandorla'
304, tôle larmée, 'mandorla'

1.4301

EN 10088-2 ASTM A 480 / A 793 Pat.B



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x3/4,5	E680020	52,800
2500 x1250 x3/4,5	E680080	82,500
3000 x1000 x3/4,5	E680140	79,200
3000 x1250 x3/4,5	E680200	99,000
2000 x1000 x4/5,5	E680260	70,400
2500 x1250 x4/5,5	E680320	110,000
3000 x1500 x4/5,5	E680350	158,400
2000 x1000 x4,5/6	E680380	79,200
2500 x1250 x4,5/6	E680440	123,750
3000 x1000 x4,5/6	E680500	118,800
3000 x1250 x4,5/6	E680560	148,500
2000 x1000 x5/6,5	E680570	88,000
2500 x1250 x5/6,5	E680580	137,500
3000 x1500 x5/6,5	E680590	198,000
2000 x1000 x6/8	E680620	105,600
2500 x1250 x6/8	E680680	165,000
3000 x1250 x6/8	E680740	198,000




Plaat Roestvast staal *Tôle Acier inoxydable*


316L, traanplaat, 'mandorla'
316L, tôle larmée, 'mandorla'

1.4404

EN 10088-2 ASTM A 480 / A 793 Pat.B



A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x4/5,5	E710121	70,400
2000 x1000 x5/6,5	E710191	88,000
2500 x1250 x5/6,5	E710221	137,500
3000 x1250 x5/6,5	E710251	165,000
2000 x1000 x6/8	E710281	105,600
2500 x1250 x6/8	E710311	165,000
3000 x1250 x6/8	E710341	198,000




Plaat Roestvast staal *Tôle Acier inoxydable*


304, plaat, koudgewalst, 2B, zontekening, 1 zijde folie
304, tôle, laminé à froid, 2B, bouchonné, filmé 1 face

1.4301

EN 10088-2




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	E620031	16,000
2500 x1250 x1	E620061	25,000
3000 x1500 x1	E620091	36,000




Plaat Roestvast staal

Tôle Acier inoxydable

Structuurplaten 304 (1.4301) 1 zijde folie
Tôles structurées 304 (1.4301), filmé 1 face




A x B x e (mm)	Code	A	B	C	D	E
2000 x1000 x0,8	E690031	x				
2500 x1250 x0,8	E690211		x			
2500 x1250 x0,8	E690331			x		
2500 x1250 x0,8	E690421				x	
2500 x1250 x0,8	E690511					x
2500 x1250 x0,8	E690061	x				
2000 x1000 x1	E690091	x				
2500 x1250 x1	E690121	x				
2500 x1250 x1	E690241		x			
2500 x1250 x1	E690361			x		
2500 x1250 x1	E690451				x	
2500 x1250 x1	E690541					x
2500 x1250 x1,25	E690271		x			
2000 x1000 x1,5	E690151	x				
2500 x1250 x1,5	E690181	x				
2500 x1250 x1,5	E690301		x			
2500 x1250 x1,5	E690391			x		
2500 x1250 x1,5	E690481				x	
2500 x1250 x1,5	E690571					x



Plaat Roestvast staal geperforeerd


Tôle Acier inoxydable perforée

Geperforeerd 304 - 1.4301
Perforé 304 - 1.4301



A x B x e (mm)	Code	Nr/N°	Type	Gat/Trou (mm)	Steek/Pas (mm)	Doorlaat/Passage
2000 x1000 x0,8	E670031	25	A	ø2	3,5	30 %
2000 x1000 x0,8	E670061	26	A	ø3	5	33 %
2000 x1000 x0,8	E670091	27	A	ø5	8	35 %
2000 x1000 x0,8	E670121	28	B	5x5	8,5	35 %
2000 x1000 x1	E670151	29	B	5x5	8	39 %
2000 x1000 x1	E670181	30	A	ø5	8	35 %
2000 x1000 x1,5	E670211	31	A	ø5	8	35 %
2000 x1000 x2	E670241	32	A	ø8	12	40 %
2000 x1000 x2	E670271	33	B	10x10	14	51 %
2000 x1000 x1	E670301	34	A	ø15	20	51 %

Type A



Type B

