


Persroosters mazen 33x33mm

- onderlijnde afmeting = draagstaaf
- * tot einde voorraad




25/2	350	400	500	600	800	1000	1200
<u>500</u>							
<u>600</u>		*					
<u>700</u>							
<u>750</u>							
<u>800</u>			*				
<u>900</u>							
<u>1000</u>				*	*		*

30/2	500	600	700	800	900	1000	1100	1200
<u>400</u>								
<u>500</u>								
<u>600</u>								
<u>700</u>								
<u>750</u>								
<u>800</u>								
<u>900</u>								
<u>1000</u>								
<u>1100</u>								
<u>1150</u>								
<u>1200</u>								
<u>1250</u>								
<u>1300</u>								

Persroosters mazen 33x33mm

- onderlijnde afmeting = draagstaaf
- * tot einde voorraad



30/3	500	600	800	1000
<u>500</u>				
<u>600</u>				*
<u>900</u>				*
<u>1000</u>			*	
<u>1200</u>				
<u>1500</u>		*		

40/3	500	1000
<u>1000</u>		

Persroosters mazen 33x11mm

- onderlijnde afmeting = draagstaaf





30/2	1000
<u>800</u>	*
<u>900</u>	*
<u>1000</u>	*

Persroosters mazen 33x33mm antislip

- onderlijnde afmeting = draagstaaf

30/2	1000
<u>800</u>	
<u>1000</u>	






Persroosters garage mazen 33x33mm

- belasting voertuigen

25/3	800	1000	1250
<u>210</u>			
<u>240</u>			
30/3			
<u>300</u>			

Geperforeerde roosters O2

- onderlijnde afmeting = draagrichting
- Geponste gaten: 9mm
- Afvoergaten: 5mm



33mm	500	600	800	900	1000	1200	1500
<u>400</u>							
<u>500</u>							
<u>600</u>							
<u>700</u>							
<u>800</u>					x		
<u>900</u>					x		
<u>1000</u>					x		
<u>1200</u>							