

Válvula de colar


Cement jointing valve

Vanne à coller

Válvula de encolar



01 61 1077 000



D	DN	A	B	H	L	M	S	Z	L1	L2	Gr	Quant	Nº Código
16	15	48	46	70	84	35	10	44	20	17	127	B 40	01 61 1077 016
20	15	48	46	70	84	35	10	44	20	17	127	B 40	01 61 1077 020
25	15	48	46	70	88	35	10	44	22	19	127	B 40	01 61 1076 025
NEW 25	20	58.5	56	85	101	46	13	54	23.5	19	196	C 60	01 61 1075 025
25	25	68	71	105	112	54	18	66	23	19	355	C 40	01 61 1077 025
32	25	68	71	105	126	54	18	66	30	23	360	C 40	01 61 1077 032
40	40	95	93	141	149	65	21	88	30,5	27	815	C 16	01 61 1077 040
50	40	95	93	141	157	65	21	88	34,5	31	826	C 16	01 61 1077 050
60	50	115	107	164	190	74	23	102	44	38	1390	C 10	01 61 1077 060
63	50	115	107	164	190	74	23	102	44	38	1382	C 10	01 61 1077 063
75	65	151	122	197	214	100	25	116	49	44	2500	C 4	01 61 1077 075
85	80	185	148	240	249	123	30	130	59	51	3800	C 3	01 61 1077 085
90	80	185	148	240	249	123	30	130	59	51	3800	C 3	01 61 1077 090
110	80	185	148	240	265	123	30	130	67	61	3820	C 3	01 61 1077 110

Válvula roscada


Tapped valve

Vanne filetée

Válvula roscada



01 61 1077 000



G	DN	A	B	H	L	M	S	Z	L1	L2	Gr	Quant	Nº Código
"3/8	15	48	46	70	84	35	10	44	20	15	130	B 40	01 61 1077 038
"1/2	15	48	46	70	84	35	10	44	20	15	130	B 40	01 61 1077 012
"3/4	15	48	46	70	88	35	10	44	22	16	130	B 40	01 61 1076 034
NEW "3/4	20	58.5	56	85	101	46	13	54	23.5	16	196	C 60	01 61 1075 034
"3/4	25	68	71	105	112	54	18	66	23	16	354	C 40	01 61 1077 034
1"	25	68	71	105	126	54	18	66	30	19	360	C 40	01 61 1077 100
1"1/4	40	95	93	141	149	65	21	88	30,5	21	817	C 16	01 61 1077 114
1"1/2	40	95	93	141	157	65	21	88	34,5	22	854	C 16	01 61 1077 150
2"	50	115	107	164	190	74	23	102	44	26	1433	C 10	01 61 1077 200
2"1/2	65	151	122	197	214	100	25	116	49	31	2530	C 4	01 61 1077 250
3"	80	185	148	240	249	123	30	130	59	35	3860	C 3	01 61 1077 300
4"	80	185	148	240	230	123	30	130	50	35	3800	C 3	01 61 1077 400

Válvula de colar

Cement jointing valve


Vanne à coller

Válvula de encolar



01 61 1299 000

TEFLON - EPDM



D	DN	A	B	H	L	M	S	Z	L1	L2	Gr	Quant	Nº Código
16	15	48	46	70	84	35	10	44	20	17	127	B 40	01 61 1299 016
20	15	48	46	70	84	35	10	44	20	17	127	B 40	01 61 1299 020
NEW 25	20	58.5	56	85	101	46	13	54	23.5	19	196	C 60	01 61 1300 025
25	25	68	71	105	112	54	18	66	23	19	355	C 40	01 61 1299 025
32	25	68	71	105	126	54	18	66	30	23	360	C 40	01 61 1299 032
40	40	95	93	141	149	65	21	88	30,5	27	815	C 16	01 61 1299 040
50	40	95	93	141	157	65	21	88	34,5	31	826	C 16	01 61 1299 050
60	50	115	107	164	190	74	23	102	44	38	1390	C 10	01 61 1299 060
63	50	115	107	164	190	74	23	102	44	38	1382	C 10	01 61 1299 063
75	65	151	122	197	214	100	25	116	49	44	2500	C 4	01 61 1299 075
85	80	185	148	240	249	123	30	130	59	51	3800	C 3	01 61 1299 085
90	80	185	148	240	249	123	30	130	59	51	3800	C 3	01 61 1299 090
110	80	185	148	240	265	123	30	130	67	61	3820	C 3	01 61 1299 110

Válvula roscada

Tapped valve


Vanne filetée

Válvula roscada



01 61 1299 000

TEFLON - EPDM



G	DN	A	B	H	L	M	S	Z	L1	L2	Gr	Quant	Nº Código
"3/8	15	48	46	70	84	35	10	44	20	15	130	B 40	01 61 1299 038
"1/2	15	48	46	70	84	35	10	44	20	15	130	B 40	01 61 1299 012
"3/4	20	58.5	56	85	101	46	13	54	23.5	16	196	C 60	01 61 1300 034
"3/4	25	68	71	105	112	54	18	66	23	16	354	C 40	01 61 1299 034
1"	25	68	71	105	126	54	18	66	30	19	360	C 40	01 61 1299 100
1"1/4	40	95	93	141	149	65	21	88	30,5	21	817	C 16	01 61 1299 114
1"1/2	40	95	93	141	157	65	21	88	34,5	22	854	C 16	01 61 1299 150
2"	50	115	107	164	190	74	23	102	44	26	1433	C 10	01 61 1299 200
2"1/2	65	151	122	197	214	100	25	116	49	31	2530	C 4	01 61 1299 250
3"	80	185	148	240	249	123	30	130	59	35	3860	C 3	01 61 1299 300
4"	80	185	148	240	230	123	30	130	50	35	3800	C 3	01 61 1299 400

Válvula de colar

Cement jointing valve


Vanne à coller

Válvula de encolar



01 61 1296 000

TEFLON - VITON



D	DN	A	B	H	L	M	S	Z	L1	L2	Gr	Quant	Nº Código
16	15	48	46	70	84	35	10	44	20	17	127	B 40	01 61 1296 016
20	15	48	46	70	84	35	10	44	20	17	127	B 40	01 61 1296 020
NEW 25	20	58.5	56	85	101	46	13	54	23.5	19	196	C 60	01 61 1297 025
25	25	68	71	105	112	54	18	66	23	19	355	C 40	01 61 1296 025
32	25	68	71	105	126	54	18	66	30	23	360	C 40	01 61 1296 032
40	40	95	93	141	149	65	21	88	30,5	27	815	C 16	01 61 1296 040
50	40	95	93	141	157	65	21	88	34,5	31	826	C 16	01 61 1296 050
60	50	115	107	164	190	74	23	102	44	38	1390	C 10	01 61 1296 060
63	50	115	107	164	190	74	23	102	44	38	1382	C 10	01 61 1296 063
75	65	151	122	197	214	100	25	116	49	44	2500	C 4	01 61 1296 075
85	80	185	148	240	249	123	30	130	59	51	3800	C 3	01 61 1296 085
90	80	185	148	240	249	123	30	130	59	51	3800	C 3	01 61 1296 090
110	80	185	148	240	265	123	30	130	67	61	3820	C 3	01 61 1296 110

Válvula roscada

Tapped valve


Vanne filetée

Válvula roscada



01 61 1296 000

TEFLON - VITON



G	DN	A	B	H	L	M	S	Z	L1	L2	Gr	Quant	Nº Código
"3/8	15	48	46	70	84	35	10	44	20	15	130	B 40	01 61 1296 038
"1/2	15	48	46	70	84	35	10	44	20	15	130	B 40	01 61 1296 012
"3/4	20	58.5	56	85	101	46	13	54	23.5	16	196	C 60	01 61 1297 034
"3/4	25	68	71	105	112	54	18	66	23	16	354	C 40	01 61 1296 034
1"	25	68	71	105	126	54	18	66	30	19	360	C 40	01 61 1296 100
1"1/4	40	95	93	141	149	65	21	88	30,5	21	817	C 16	01 61 1296 114
1"1/2	40	95	93	141	157	65	21	88	34,5	22	854	C 16	01 61 1296 150
2"	50	115	107	164	190	74	23	102	44	26	1433	C 10	01 61 1296 200
2"1/2	65	151	122	197	214	100	25	116	49	31	2530	C 4	01 61 1296 250
3"	80	185	148	240	249	123	30	130	59	35	3860	C 3	01 61 1296 300
4"	80	185	148	240	230	123	30	130	50	35	3800	C 3	01 61 1296 400

Válvula 50 c/ adaptador mangueira


Ball valve 50 with hose nozzle

Vanne 50 avec douilles

Válvula 50 c/ boquillas manguera



01 61 1458 000



D1	D2	DN	A	B	H	L	L1	L2	L3	M	S	Z	Gr	Quant
32	38	40	95	93	141	270	91	39	39	65	21	88	800	C 10

Nº Código

01 61 1458 039

Válvula - porca única F/F


Single union ball valve F/F

Vanne - simple union F/F

Válvula - una tuerca H/H



01 69 1077 000



D	DN	A	B	H	L	M	S	L1	L2	Gr	Quant	Nº Código
20	15	48	46	70	75	35	10	20	17	91	B 45	01 69 1077 020
NEW 25	20	58.5	56	85	90	46	13	23.5	19	140	C 72	01 69 1075 025
25	25	68	71	105	100	54	18	23	19	264	C 50	01 69 1077 025
32	25	68	71	105	111	54	18	30	23	273	C 50	01 69 1077 032
40	40	95	93	141	135	65	21	30,5	27	606	C 20	01 69 1077 040
50	40	95	93	141	143	65	21	34,5	31	635	C 20	01 69 1077 050
60	50	115	107	164	172	74	23	44	38	1035	C 12	01 69 1077 060
63	50	115	107	164	172	74	23	44	38	1028	C 12	01 69 1077 063
75	65	151	122	197	204	100	25	49	44	1920	C 4	01 69 1077 075
85	80	185	148	240	239	123	30	59	51	3000	C 3	01 69 1077 085
90	80	185	148	240	239	123	30	59	51	3000	C 3	01 69 1077 090
110	80	185	148	240	255	123	30	67	61	3140	C 3	01 69 1077 110

Válvula - porca única F/F


Single union ball valve F/F

Vanne - simple union F/F

Válvula - una tuerca H/H



01 69 1077 000



G	DN	A	B	H	L	M	S	L1	L2	Gr	Quant	Nº Código
"1/2"	15	48	46	70	64	35	10	20	15	92	B 45	01 69 1077 012
NEW "3/4"	20	58.5	56	85	86	46	13	23.5	16	143	C 72	01 69 1075 034
"3/4"	25	68	71	105	84	54	18	23	16	265	C 50	01 69 1077 034
1"	25	68	71	105	92	54	18	30	19	273	C 50	01 69 1077 100
1"1/4"	40	95	93	141	116	65	21	30,5	21	620	C 20	01 69 1077 114
1"1/2"	40	95	93	141	122	65	21	34,5	22	652	C 20	01 69 1077 150
2"	50	115	107	164	143	74	23	44	26	1060	C 12	01 69 1077 200
2"1/2"	65	151	122	197	202	100	25	49	31	1970	C 4	01 69 1077 250
3"	80	185	148	240	220	123	30	59	35	2950	C 3	01 69 1077 300
4"	80	185	148	240	203	123	30	50	35	3055	C 3	01 69 1077 400

Válvula - porca única M/F


Single union ball valve M/F

Vanne - simple union M/F

Válvula - una tuerca M/H



01 73 1079 000



G	DN	A	B	H	L	M	S	L1	L2	Gr	Quant	Nº Código
"1/2	15	48	46	70	70	35	10	20	15	90	B 45	01 73 1079 012
"3/4	20	58.5	56	85	94	46	13	23.5	16	140	C 72	01 73 1075 034
"3/4	25	68	71	105	93	54	18	23	16	272	C 50	01 73 1079 034
1"	25	68	71	105	99	54	18	30	19	272	C 50	01 73 1079 100
1"1/4	40	95	93	141	126	65	21	30,5	21	614	C 20	01 73 1079 114
1"1/2	40	95	93	141	133	65	21	34,5	22	638	C 20	01 73 1079 150
2"	50	115	107	164	154	74	23	44	26	1065	C 10	01 73 1079 200

Válvula - porca única M/F

Single union ball valve M/F


Vanne - simple union M/F

Válvula - una tuerca M/H



01 73 1298 000

TEFLON - VITON



G	DN	A	B	H	L	M	S	L1	L2	Gr	Quant	Nº Código
"1/2	15	48	46	70	70	35	10	20	15	90	B 45	01 73 1298 012
"3/4	20	58.5	56	85	94	46	13	23.5	16	140	C 72	01 73 1297 034
"3/4	25	68	71	105	93	54	18	23	16	272	C 50	01 73 1298 034
1"	25	68	71	105	99	54	18	30	19	272	C 50	01 73 1298 100
1"1/4	40	95	93	141	126	65	21	30,5	21	614	C 20	01 73 1298 114
1"1/2	40	95	93	141	133	65	21	34,5	22	638	C 20	01 73 1298 150
2"	50	115	107	164	154	74	23	44	26	1065	C 10	01 73 1298 200

Válvula - porca única M c/ adaptador p/ mangueira


Single union ball valve M with hose nozzle

Vanne - simple union M avec douilles

Válvula - una tuerca M c/ boquillas manguera



01 73 1458 000



G	D1	D2	DN	A	B	H	L	L1	L2	L3	L4	M	S	Gr	Quant	Nº Código
1"1/2	32	38	40	95	93	141	189.5	19	39	39	22	65	21	613	C 13	01 73 1458 039

Terminal de colar fêmea


Union ends female

Pièce folle femelle

Manguito enlace encolar hembra



01 61 1131 000



d	A	D	I	Z	Gr	Quant
16	36	28	20	3	13	A 60
20	36	28	20	3	11	A 60
25	44	36	23.5	4.5	22	A 40
25	50	36	23	4	25	A 30
32	50	42	30	7	29	A 20
40	74.5	52	30.5	3.5	60	B 60
50	74.5	63	34.5	3.5	64	B 40
60	90	77	44	5	120	B 20
63	90	77	44	5	117	B 20
75	124	91	49	5	220	B 12
85	138	111	59	7	392	B 8
90	138	111	59	7	350	B 8
110	135	128.5	67	6	365	B 6

Nº Código

01 61 1131 016

01 61 1131 020

01 61 1135 025

01 61 1131 025

01 61 1131 032

01 61 1131 040

01 61 1131 050

01 61 1131 060

01 61 1131 063

01 61 1131 075

01 61 1131 085

01 61 1131 090

01 61 1131 110

Terminal rosca fêmea BSP


Union end female BSP

Pièce folle femelle BSP

Manguito enlace rosca hembra BSP



01 61 1131 000



G	I	A	D	Z	Gr	Quant
" 3/8	20	36	28	5	13	A 60
" 1/2	20	36	28	5	11	A 60
" 3/4	23.5	44	36	7.5	22	A 40
" 3/4	23	50	36	7	25	A 30
1"	30	50	42	6	28	A 20
1" 1/4	30.5	74.5	52	9.5	58	B 60
1" 1/2	34.5	74.5	63	12.5	76	B 40
2"	44	90	77	18	145	B 20
2" 1/2	49	124	91	18	235	B 12
3"	58	138	111	24	392	B 8
4"	50	135	128.5	15	280	B 6

Nº Código

01 61 1131 038

01 61 1131 012

NEW 01 61 1135 034

01 61 1131 034

01 61 1131 100

01 61 1131 114

01 61 1131 150

01 61 1131 200

01 61 1131 250

01 61 1131 300

01 61 1131 400

Terminal rosca macho


Male union end

Pièce folle mâle

Manguito enlace rosca macho



01 61 1206 000



G	I	A	S	Z	Gr	Quant
" 1/2	36	36	22	21	14	A 50
" 3/4	40	43	28	24	24	A 30
" 3/4	41.5	50	36	25	34	A 25
1 "	45	50	36	26	37	A 15
1" 1/4	48	74.5	50	29	77	B 45
1" 1/2	51	74.5	50	30	80	B 30
2 "	61	90	65	35	147	B 15

NEW

Nº Código

01 61 1206 012

01 01 1205 034

01 61 1206 034

01 61 1206 100

01 61 1206 114

01 61 1206 150


01 61 1206 200

Terminal macho/fêmea


Male/female union endl

Pièce folle mâle/femelle

Manguito enlace encolar macho/hembra



01 61 1315 000



d	d1	l	A	Z	Z1	Gr	Quant
20	16	28	35.5	11	13	10	A 50
25	20	28	44	10	11	15	A 30
25	20	35	50.5	16	18	20	A 20
32	25	35	50.5	12	16	24	A 20
40	32	49	74.5	22	26	66	B 30
50	40	49	74.5	14	22	78	B 30
63	50	55.5	90	17	24	130	B 20

NEW

Nº Código

01 61 1315 003

01 61 1136 006

01 61 1315 006

01 61 1315 009

01 61 1315 012

01 61 1315 015

01 61 1315 019

Terminal p/ válvulas adaptador p/ mangueira


Union end for hose nozzle valves

Pièce folle pour douille

Manguito enlace c/ boquilla manguera



01 61 1451 000



D1	D2	L	L1	L2	Z	Gr	Quant
32	38	91	39	39	75	70	B 30


Nº Código
01 61 1451 039

Porca para válvula

Nut for valve

Écrou pour vanne

Tuerca para válvula



d	G	I	D	Gr	Quant
16- $\frac{3}{8}$ 32- 1"	40 x 10	22	46	21	A 30
25- $\frac{3}{4}$ 32- 1"	49 x 10	23	58	30	A 20 NEW
25- $\frac{3}{4}$ 32- 1"	56 x 8	31	67	56	B 50
40- 1 $\frac{1}{4}$ 50- 1 $\frac{1}{2}$	83 x 8	38	95	111	B 24
63- 2"	99 x 8	45	115	206	B 16
75- 2 $\frac{1}{2}$ "	132 x 5	51	150	362	B 8
90- 3"	151 x 5	59	174	586	C 14
110- 4"	151 x 5	59	174	578	C 14



01 61 1130 000

Nº Código

01 61 1130 020

01 61 1130 025

01 61 1130 032

01 61 1130 050

01 61 1130 063

01 61 1130 075

01 61 1130 090

01 61 1130 110

Possibilidades de fazer várias combinações

Possible to make several combinations

Possibilité de diverses versions

Possibilidad de hacer varias combinaciones

